

# PRESSALIT.

#### Toilet seat Care Soft Close with cover With Solid Pro extra strong cross-bar hinge

Features	Soft close	
ltem number	R395011-DG9999 VVS:615649000 NRF:6190373 EAN:5708590356044 HMI: 109860	
	Toilet seat Care Soft Close with cover. With Solid Pro extra strong cross-bar hinge. A design-conscious choice for the project market. With an antibacterial Polygiene effect and strong fittings that ensure optimum stability - even during sideways transfer. The market's first institution seat with integrated soft closing function.	
Colour	White	
Description	Toilet seat Care Soft Close with cover. With Solid Pro extra strong cross-bar hinge. A design-conscious choice for the project market. With an antibacterial Polygiene effect and strong fittings that ensure optimum stability - even during sideways transfer. The market's first institution seat with integrated soft closing function.	



#### Toilet seat Care Soft Close with cover With Solid Pro extra strong cross-bar hinge

Materials	<ul> <li>TOILET SEAT:</li> <li>The material is colour ingrained duroplast (UF A 10 = urea formaldehyde) that contains no environmentally hazardous substances. UF plastic comprises 67% urea formaldehyde resin, 28% cellulose, as well as 5% minerals, pigments, lubricants and moisture content. The raw material from the supplier contains up to 0.03% free formaldehyde and even less following curing.</li> <li>POLYGIENE (only relevant for toilet seats with polygiene): Polygiene consists of biocide silver chloride, which has an anti-bacterial effect. This is why the bacteria growth is bacterial 24 bacteria effect.</li> </ul>	
	why the bacteria growth is hampered 24 hours a day. BUFFERS: EVA (copolymer made of ethylene and vinyl acetate). DAMPER KIT (only relevant for toilet seats with soft close):	
Product capacity	Hydraulic damper with stainless steel damper casing and thermoplastic parts. MOUNT/HINGES: Stainless steel model W. no. 1.4301/M and thermoplastic. Load - ring seat 240 kg	
Weight	2,895 kg	
Carton size	503x387x87 mm	
Gross weight	3,235 kg	
Weight per crate	16,175 kg	
Qty per crate	5	
Crates per pallet	8	
Qty per pallet	40	
Warranty	Your Pressalit toilet seat is subject to a 10-year product warranty against presentation of receipt. You should contact the dealer or store where you purchased the seat in the event of a complaint. br> in the event of complaints about defective materials and/or manufacturing defects and/or functional limitations ascertained within a 10-year period, following proper use and cleaning of the toilet seat (we reserve the right to examine the toilet seat at our factory), Pressalit will deliver spare parts or replace the toilet seat by an identical or similar model. If the color is no longer available, Pressalit reserves its right to replace the toilet seat by a similar model in the color white. Upon replacement or delivery of a spare part, the warranty period will not be extended nor renewed. If replacement is not possible, Pressalit may instead refund the purchase price.	



## PRESSALIT.

Toilet seat Care Soft Close with cover With Solid Pro extra strong cross-bar hinge

### pressalit.com

Pressalit A/S Pressalitvej 1 DK-8680 Ry Tel.: +45 8788 8788 Fax: +45 8788 8789 E-mail: pressalit@pressalit.com

